US\$N 10/026,586 Page 2

Amendment to the Claims

Claims 1 - 19. (Previously canceled):

- 20. (Currently amended): A recombinant yeast capable of utilizing 2-keto-L-gulonic-acid (KLG) as a sole carbon source to produce ascerbic acid or an ascerbic acid stereoisomer, said yeast-comprising either one or both of
- a) a heterologous nucleic acid encoding an exidative enzyme associated with the production of ascorbic acid or an ascorbic acid stereoisomer in said yeast a glucose dehydrogenase, a gluconic acid dehydrogenase or a 2-keto-D-gluconic acid dehydrogenase, and
- b) a heterologous nucleic acid encoding a reducing-enzyme-associated with the production of assorbic acid or an ascorbic acid stereolsomer in said yeast. 2,5 -diketo-L-qluconic acid (2,5-DKG) reductase.

 wherein the yeast is a member of the family Cryptococcaceae and is capable of utilizing 2-keto-L-gulonic acid (KLG) as a sole carbon source to produce ascorbic acid or an ascorbic acid stereolsomer.

Claims 21 - 26. (Canceled):

- 27. (Currently amended): The yeast of Claim 26 Claim 20 wherein the yeast is a Candida or Cryptococcus.
- 28. (Previously amended): The yeast of Claim 27 wherein the yeast is Candida blankii.
- 29. (Previously amended): The yeast of Claim 27 wherein the yeast is Cryptococcus dimennae.

Claims 30 – 40. (Previously canceled):

- 41. (Currently amended): A recombinant yeast capable of utilizing 2-keto-L-gulonic acid (KLG) as a carbon-source to produce ascerbic acid or an ascerbic acid stereoisomer, said yeast comprising either one or both of
 - a) a heterologous nucleic acid encoding a glucose dehydrogenase and

USSN 10/026,586 Page 3

07:33

- b) a heterologous nucleic acid encoding a 2,5 -diketo-L-gluconic acid (2,5-DKG) reductase wherein said yeast is Candida blankii or Cryptococcus dimennae capable of utilizing 2-keto-Lgulonic acid (KLG) as a carbon source to produce ascorbic acid or an ascorbic acid stereoisomer and is capable of converting glucose to KLG and then utilizing the KLG to produce ascorbic acid or an ascorbic acid stereoisomer.
- 42. (Previously added): The recombinant yeast of Claim 41 wherein said yeast is Candida blankii.
- 43. (Previously added): The recombinant yeast of Claim 41 wherein said yeast is Cryptococcus dimennae.
- 44. (Previously added): A recombinant yeast capable of utilizing 2-keto-L-gulonic acid (KLG) as a carbon source to produce ascorbic acid or an ascorbic acid stereoisomer, said yeast comprising at least one heterologous nucleic acid encoding a L-sorbose dehydrogenase, a Dsorbitol dehydrogenase, a L-sorbosone dehydrogenase or a galactose dehydrogenase, wherein said yeast is Candida blankii or Cryptococcus dimennae and is capable of converting sorbitol to KLG and then utilizing the KLG to produce ascorbic acid or an ascorbic acid stereoisomer.
- 45. (Previously added): The recombinant yeast of Claim 44 wherein said yeast is Candida blankii.
- 46. (Previously added): The recombinant yeast of Claim 44 wherein said yeast is Cryptococcus dimennae.